



TOUGH PAD **FZ-A2** MK1

FULLY RUGGED FANLESS ANDROID™ 6.0 TABLET WITH 10.1" OUTDOOR DISPLAY

The 10.1" Android™ powered Toughpad FZ-A2 delivers true ruggedness and is ideal for highly mobile outdoor workers in challenging conditions. With its capacitive, sunlight viewable 10- finger multi-touch IPS display, flexible configurable ports and business expansion capability this Android™ 6.0 device can be used in the field whilst benefitting from connectivity options to ensure data is always available when needed.

- Intel® Atom™ x5-Z8550 Processor
- Android™ 6.0 Marshmallow (including Android for Work)
- Fanless design for enhanced protection from temperature, water and dirt
- Intel HD graphics
- 10.1" WUXGA (1,920 x 1,200) outdoor display (up to 800cd/m2)
- Capacitive 10 finger multi-touchscreen
- 120cm shock resistant*
- Water and dust resistant (IP65)*
- Up to 9 hours battery life
- User field exchangeable battery
- Hot swap battery optional (in combination with business expansion module)
- USB 3.1 type C OTG
- Flexible configuration port (2D Barcode Reader, LAN)**
- Integrated business expansion module (Smartcard Reader)**
- Lightweight - weighs approx 880g

* Tested at Panasonic Factory **Optional



TOUGHPAD FZ-A2MK1

FOR FIELD PROFESSIONALS WHO FACE THE TOUGHEST CHALLENGES

An all-new professional-grade Android™ powered tablet with a 10.1" display, the Panasonic Toughpad FZ-A2 helps to drive efficiency and productivity in ways that were never previously possible. Thanks to a daylight-viewable business matte screen, premium product quality, enterprise class security and advanced device management, the Toughpad FZ-A2 is the most rugged, reliable and enterprise ready Android powered tablet in the market.



Mobile Computing Platform	Intel® Atom™ x5-Z8550 processor (1.44GHz up to 2.4GHz, 2MB Cache)	
Operating System	Android™ 6.0	
RAM	4GB	
Graphic Chip	Intel® HD Graphics 400	
Camera	Front: 2MP	Rear: 8MP with autofocus and LED light
Storage	32GB eMMC	
Display	10.1" sunlight-viewable WUXGA Active Matrix (TFT) IPS colour LCD Up to 800 cd/m² brightness 10 finger capacitive multi-touchscreen	
Bluetooth®	Version 4.2 + EDR Class 1	
WLAN	IEEE WiFi 802.11 a/b/g/n/ac (Intel Dual Band Wireless-AC 8260)	
4G/LTE Mobile Broadband	Optional Sierra Wireless EM7305 with 12 Channel GPS	
Dedicated GPS	Optional	
Sound	WAVE and MIDI playback, Intel® High Definition Audio subsystem support Internal Microphone for Webcam	
Interface	USB 3.0: x1 HDMI: x 1 Headphone Output: x 1	USB 3.1 type C OTG: x 1 Micro SD SDXC Memory Card: x 1 Docking Connectorx1
Configuration Port	LAN 2D Barcode Reader	
Business Expansion Module	Smartcard Reader	
Power	AC Adapter: Input: 100V - 240V AC, 50Hz/60Hz Output: 16V DC, 4.06A Battery: Li-Ion 11.4V, 2720mAh Operating Time: 9 hours (MobileMark™ 2007) Hot Swap Battery: Optional via business expansion module	
Physical Dimensions	272 mm (W) x 196 mm (H) x 16mm (D)	
Weight	Approx 880g	
Operating Environment	Temperature: -10°C to 50°C or storage -20°C to 60°C Humidity: 30% to 80% RH (no condensation) or storage to 30°C to 90°C	
Accessories	Desktop Port Replicator: FZ-VEBA21 Standard Battery: CF-VZSU0QW AC Adapter: CF-AA6413AM LCD Protection Film: CF-VPF31U	Vehicle Dock: CF-CDS20VM01 4 Day Battery Charger: CF-VCB201 Capacitive Stylus: CF-VNPO22U Rotating Handstrap: CF-VST2011U
Ruggedisation	Water resistance test: IP-X5* Dust resistance test: IP-6X* Gravity drop resistance test: 120cm* MIL-STD-810G certified All weather, fanless design Magnesium alloy chassis encased with ABS and elastomer corner guards	

Dealer Details:

* Tested at Panasonic factory. Intel, the Intel logo, Intel Core, Intel vPro, Core Inside and vPro Inside are trademarks of Intel Corporation in the U.S. and other countries. Microsoft® and Windows® are registered trademarks of Microsoft® Corporation of the United States and/or other countries. All other brand names shown are the registered trademarks of the relevant companies. All rights reserved. All working conditions, times and figures quoted are optimum or ideal levels and may differ as a result of individual and local circumstances. Specifications are subject to change without notice. Publication date: July 2016.

